

IN THE CLAIMS

Claims 1-5 (Canceled)

6. (Currently amended) A composition comprising:
 - a) at least one water immiscible emollient oil in a minimum amount of ~~about~~ 2530 weight % of the composition;
 - b) at least one emulsifying agent capable of forming an emulsion, on the skin with the oil when water is added to the composition, the emulsifier is present in an amount of no more than ~~about~~ 10 weight %;
 - c) a physical stabilization enhancing amount of a component comprising a wax in an amount that is no more than ~~about~~ 7 weight % of the composition and an oil gelling agent that is both water and oil insoluble.
7. (Previously presented) The composition of claim 6, wherein the oil is selected from the group consisting of: a mineral oil; an animal oil; a vegetable oil; a silicone oil; an ester; an organic alcohol; a lanolic acid ester; a fatty free acid; and mixtures thereof.
8. (Previously presented) The composition of claim 6, wherein the oil is selected from paraffin oil and petroleum jelly oil.
9. (Previously presented) The composition of claim 6, wherein the oil is selected from purcellin oil, perhydrosqualene, fish oil, and lanolin oil.
10. (Previously Presented) The composition of claim 6, wherein the oil is selected from sweet almond oil, palm oil, calophyllum oil, avocado oil, castor oil, cereal germ oil, canola oil, sunflower oil, soybean oil, and jojoba oil.

11. (Previously presented) The composition of claim 6, wherein the oil is selected from dimethylpolysiloxane, cyclomethicone, and stearyl dimethylpolysiloxane.
12. (Previously Presented) The composition of claim 6, wherein the oil is selected from butyl myristate, isopropyl myristate, cetyl myristate, isopropyl palmitate, butyl stearate, hexadecyl stearate, isopropyl stearate, octyl stearate, isoceryl stearate, decyl oleate, hexyl laurate, dicaprylate of propylene glycol, and diisopropyl adipate.
13. (Previously presented) The composition of claim 6, wherein the oil is selected from oleic alcohol, linoleic alcohol, linolenic alcohol, isostearyl alcohol, and octyl dodecanol.
14. (Previously presented) The composition of claim 6, wherein the oil is selected from isopropyl lanolate and isocetyl lanolate.
15. (Previously presented) The composition of claim 6, wherein the oil is selected from linoleic acid, myristic acid, palmitic acid, and stearic acid.
16. (Previously presented) The composition of claim 6, wherein the emulsifying agent is selected from the group consisting of an ethoxylated carboxylic acid, an ethoxylated glyceride, a glycol ester and derivatives thereof, a monoglyceride, a polyglyceryl ester, a polyhydric alcohol ester, a sorbitan/sorbitol ester, a trimester of phosphoric acid, an ethoxylated fatty alcohol, a propoxylated poilyoxyethylene (POE) ester, and mixtures thereof.
17. (Previously presented) The composition of claim 6, wherein the wax is selected from the group consisting of: mineral wax; fossil wax; animal wax;

vegetable wax; hydrogenated wax that is solid at 25°C; synthetic oil; fatty ester that is solid at 25°C; silicone wax; and mixtures thereof.

18. (Previously presented) The composition of claim 6, wherein the wax is selected from microcrystalline wax, paraffin, and petroleum jelly.
19. (Previously presented) The composition of claim 6, wherein the wax is selected from ozokerite and montan wax.
20. (Previously presented) The composition of claim 6, wherein the wax is selected from beeswax, spermaceti, lanolin wax, and lanolin derivatives.
21. (Previously presented) The composition of claim 6, wherein the wax is selected from lanolin alcohols, hydrogenated lanolin, hydroxylated lanolin, acetylated lanolin, fatty acid of lanolin, and acetylated lanolin alcohol.
22. (Previously presented) The composition of claim 6, wherein the wax is selected from candelila wax, carnauba wax, sumac wax, cocoa butter wax, and shea butter.
23. (Previously presented) The composition of claim 6, wherein the wax is selected from hydrogenated castor oil, hydrogenated palm oil, hydrogenated tallow, hydrogenated cocoa oil, and hydrogenated soy oil.
24. (Previously presented) The composition of claim 6, wherein the wax is selected from polyethylene and copolymerized polyethylene waxes.
25. (Previously Presented) The composition of claim 6, wherein the wax is selected from monomyristate of propylene glycol and myristyl myristate.

26. (Previously presented) The composition of claim 6, wherein the wax is selected from methyloctadecane-oxypolysiloxane, poly(dimethylsiloxane), stearoxy siloxane, and dimethicone.
27. (Previously presented) The composition of claim 6, wherein the oil gelling agent is selected from the group consisting of finely divided silica, magnesium aluminum silicate, clay, organically modified clay, and mixtures thereof.
28. (Previously presented) The composition of claim 6, wherein the oil gelling agent is selected from the group consisting of bentonite, Hectorite, and organophilic clay.
29. (Previously presented) The composition of claim 6, wherein the oil gelling agent is selected from the group consisting of stearylalkonium Hectorite, Quaternium-18 Hectorite, and Quaternium-18 bentonite.
30. (New) A composition comprising:
- a) about 40 to about 90 weight % vegetable oil,
 - b) 0 to about 15 weight % stearic acid,
 - c) about 0.25 to about 6 weight % glycerol stearate,
 - d) about 0.25 to about 6 weight % PEG-100 stearate,
 - e) about 0.05 to about 8 weight % glyceryl oleate,
 - f) about 0.05 to about 5 weight % sucrose distearate,
 - g) 0 to about 5 weight % shea butter,
 - h) about 0.1 to about 5 weight % cetyl alcohol,
 - i) about 0.5 to about 5 weight % stearyl alcohol,
 - j) about 0.5 to about 8 weight % beeswax,
 - k) about 0.05 to about 5 weight % carnauba wax,

- l) about 0.05 to about 8 weight % silica,
 - m) about 0.05 to about 5 weight % polysorbate-80,
 - n) 0 to about 10 weight % colloidal oatmeal, and
 - o) 0 to about 5 weight % silicone oil.
31. (New) A composition comprising about 40.05 weight % canola oil, about 40.05 weight % mineral oil, about 0.75 weight % carnauba wax, about 2.25 weight % PEG-100 stearate, about 2.25 weight % glycerol stearate, about 0.75 weight % sucrose distearate, about 2 weight % shea butter, about 1.5 weight % cetyl alcohol, about 1.8 weight % stearyl alcohol, about 1 weight % glyceryl oleate, about 4 weight % white beeswax, about 1 weight % polysorbate 80, about 1.5 weight % amorphous fumed silica, and about 0.1 weight % titanium dioxide.